
WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau THE PATENT COOPERATION TREATY (PCT) **PCT**

WORLD INTELLEG	CTUAL	PROPERTY OR THEATY (PCT)
PCT WORLD INTO I	nternau ED U	property occurred by the property of the prope
INTERNATIONAL APPLICATION FOREST		(11) International Publication Patrice 16 September 1999 (16.09.99)
(51) International Patent Classico	A1	(43) International Publication
G01N 27/447		AE, AL, AM, AT, AU, AE, ES, FI, GB,
(21) International Application Number: PCT/GB (22) International Filing Date: 12 March 1999 (30) Priority Data: 12 March 1998 (12.03.98; 9805301.0 12 March 1998 (12.03.98; OLLEGE OF SCIENCE, TECHNOLOGY & GBEGB]: Sherffeld Building, Exhibition RG SWT 2AZ (GB). (72) Inventor; and (for US only): HASSAR (15.06) Inventor/Applicant (for US only): HASSAR (1U. (GB). (74) Agent: TURNER, James, Arthur, 21 New Fetter EC4A 1DA (GB).	IMPEI MEDI pad, L D, Joh	99) G. G. G. H. G.M. H.R. TLS L.T. LU, L.V. MID, SINGLEY, S. K. R. K. Z. L. C. L. K. P. L. P. F. RO, R. U. S. D. S. S. G. S. K. P. K. K. Z. L. C. L. K. P. L. P. F. RO, R. U. S. D. S. S. G. S. M. M. M.W. MX, NO, N. Z. W. N. Y. D. X. M. M. W. MX, NO, N. T. J. W. J. W. S. C. S. L. T. J. TM, T. T. J. L. U. G. U. S. U. Z. V. N. Y. U. Z. W. M. M. W. M. T. J. W. M. S. D. S. S. Z. U. G. A. R. P. D. Jacchi (H. G.M. K. Z. B. Y. K. G. K.Z. MD, R. U. T. Z. W. J. Eurasian patent (A. M. A.Z. B.Y. K. G. K.Z. MD, R. U. T. J. T. J. W. J. W. J. S. W. S. D. S. S. G. T. J. T. M. European patent (A. J. B. C. H. C. Y. D. E. D. K. E. F. T. J. J. W. C. H. Y. D. E. J. C. S. M. J. T. J. T. J. S. J. T. J. T. J. S. J. T. J. J. T. J. J. T.



An analyser comprises a substrate (20) of diamond, sapphire or a polymer material; an array (10) of elongate capillary channels formed in the substrate; means (40) for driving a sample to be tested along one or more of the channels whereby the velocities of components of the substrate; means (40) for driving a sample to be tested along one or more of the channels whereby the velocities of components of the substrate; means (40) for driving a sample to be tested along one or more of the channels whereby the velocities of components; and a radiation source (100) and a radiation between the radiation source and the radiation detector.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	AL			- 01 0	r the front pag	cs of namphless			
	AM	f Armenia	ES	Spain		rampinets publish	ing internation	nal applications under the	
	AT	Austria	FI	Finland	1.0			an applications under the	e por
	AU	Australia	FR	France	Li	Lesotho			· · C 1.
	AZ	Azerbaijan	GA	Gabon	ũ	Linuania	SI	Slovenia	
	BA	Bosnia and Herzegovina	GB		LV	Laxembourg	SK	Slovakia	
	BB	Barbados Perzegovina	GE	Onited Kingdom	MC	ration	SN	Senegal	
	BE	Belgium	GH	Georgia Ghana	ME		sz	Swaziland	
	BF	Burkina Faso	GN	Guinea	MG	republic of Moldour	TĐ	Chad	
	BG	Bulgaria	GR	Greece	MK	Madagascar	TG	Togo	
- 1	BJ	Benin	HU		· · · · ·		TJ	Tajikistan	
- 1	BR	Brazil	IE	Hungary Ireland	ML	Republic of Macedonia	TM	Turkmenistan	
- [BY	Belarus	IL	Israel	MN	Maii	TR	Turkey	
1	CA	Canada	1S	Iceland	MR	Mongolia	TT	Trinidad and Tobago	
1	CF	Central African Republic	IT	Italy	MW	Mauritania	UA	Ukraine	
1	CG	Congo	JP	Japan	MX	Malawi	UG	Uganda	
1	CH	Switzerland	KE	Kenya	NE	Mexico	US	United States of America	- 1
1	CI	Côte d'Ivoire	KG	Kyrgyzstan	NL	Niger	UZ VN	O Z DEKISTAD	- 1
l	CM	Cameroon	KP	Democratic People's	NO	Netherlands	****	Viet Nam	- 1
1	CN	China		Republic of Korea	NZ	Norway	YU ZW	Yugoslavia	- 1
	CU	Cuba	KR	Republic of Korea	PL.	New Zealand	ZW	Zimbabwe	- 1
	CZ	Czech Republic	KZ	Kazakstan	PT	Poland			- 1
	DE	Germany	LC	Saint Lucia	RO	Portugal			- 1
	DK	Denmark	LI	Liechtenstein	RU	Romania			- 1
	EE	Estonia	LK	Sri Lanka	SD	Russian Federation			- 1
			LR	Liberia	SE	Sudan			- 1
_					SG	Sweden			- 1
						Singapore			- 1
									1

PCT/GB99/00742 WO 99/46590

CAPILLARY ELECTROPHORESIS DEVICE

This invention relates to analysers. Embodiments of the invention relate to instruments for the determination of molecular characteristics, such as the length of nucleic acid in terms of base pairs, and the sequencing of genetic samples.

There are several current techniques for analysing materials such as DNA samples in an automated or semi-automated manner. One such technique which has been demonstrated for DNA analysis is the use of so-called microfabricated capillary electrophoresis (CE) chips.

These devices comprise a substrate in which a number of very fine capillary channels are etched and filled with a gel material. A material to be analysed passes along the capillary channel under the influence of an electric field. Components of the material - for example, nucleic acids - progress along the channel at different rates depending on the relative molecular weights of the components, leading to a separation by molecular weight.

Current techniques use photographic techniques to image radioactive or luminescent tags attached to the nucleic acids. This is a time consuming process. A quicker but expensive alterative is to use phosphor imagers to record the sequences. Furthermore, both processes use hazardous chemicals to tag the nucleic acids and the safe use and disposal of these is a major problem, requiring skilful scientific and technical input.

As mentioned above, all of these techniques are relatively slow. In any current emission technique, such as CE-laser induced fluorescence (CE-LIF) the time-to-sequence depends on the separation gradient (i.e. the electric field) and the discriminator power (e.g. the capillary or electrophoresis gel) convolved with the size of the objects to be separated.

There is a need for an improved technique offering a faster response than current techniques and avoiding the use of hazardous materials.

PCT/GB96/01121 discloses an electrophoresis system in which material components are driven along quartz rubes. In effect, the shadow of the separated components is detected by directing an ultraviolet (UV) light from one side of the rubes towards a detector at the other side.

30

25

5

10

15

20

10

15

20

25

30

This invention provides an analyser comprising: a substrate of diamond, sapphire or a polymer material; an array of one or more elongate capillary channels formed in the substrate; means for driving a sample to be tested along one or more of the channels whereby the velocities of components of the sample along the channels depends on the relative molecular weights of those components; a radiation source and a radiation detector disposed on either side of the channel array so as to detect the presence of material in the channels as interruptions in the radiation path between the radiation source and the radiation detector.

The invention addresses the above problems by providing a new selection of substrates offering many advantages over the glass, quartz and plastics of previous analysers. In particular, the whole apparatus can be miniaturised and the use of hazardous markers is avoided by detecting the "shadow" of separated components (e.g. DNA fragments).

Embodiments of the invention can provide an analysis technique which can be carried out while avoiding the use of mutagenic, toxic and carcinogenic chemiluminescent, bioluminescent and radiolabels, with associated benefits in running costs, safety and ease of disposal.

Embodiments of the invention can provide up to an order of magnitude increase in speed for DNA sequencing. For example, a sequence of 500 base pairs which might take 6 hours using a conventional electrophoresis technique could be achieved in 10 minutes using a prototype embodiment of the invention. The saving in time can arise because in current imaging techniques the images of bands identified by conventional labels is heavily smeared by the isotropic emission characteristics of the labels, whereas in embodiments of the present invention the image of a nucleic acid band is substantially the same size as the band, smeared only by diffraction.

Embodiments of the invention can further provide an improved detection sensitivity and signal-to-noise ratio in sub-microlitre sequencing and imaging.

Embodiments of the invention can allow pre-programmed sequence recognition masks to accompany an installation, so that in principle a "yes-no" answer could be obtained by relatively untrained end-users. A sequence triage system results which, coupled to the potentially low cost of this technology, could result in the use of apparatus according to embodiments of the invention in doctors' surgeries, schools

10

15

20

25

30

*16500A1 1 >

and even on individual researchers' desks.

Embodiments of the invention will now be described, by way of example only, with reference to the accompanying drawings in which:

Figure 1 is a schematic perspective view of part of an analyser according to an embodiment of the invention;

Figure 2 is a schematic plan view of an array of analyser channels according to an embodiment of the invention;

Figure 3 is an enlarged view of two supply wells;

Figure 4 is a schematic cross sectional view of an analyser operating at a UV wavelength of about 260 nm;

Figure 5 is a schematic cross sectional view of an analyser channel operating at a UV wavelength of about 200 nm; and

Figure 6 is a schematic graph illustrating the signal to noise performance of prototype embodiments of the invention.

Referring now to Figure 1, an analyser according to embodiments of the invention comprises an array of channels 10 formed as the substrate is grown or deposited (e.g. by CVD) or etched by excimer laser ablation into a substrate 20 of diamond, sapphire (preferably coated in nanocrystalline diamond) or polymer, possibly deposited on a substrate of a material such as silicon. The channels are at least partially filled by a polyacrylimide gel and are subjected to an electric field along a longitudinal channel direction.

Under the influence of the electric field, DNA samples injected at one end of a channel progress along the channel. Components of the sample progress at a velocity dependent on the molecular weight (often expressed as a number of "base pairs" for DNA samples) of the component.

Ultraviolet light from a light source (not shown in Figure 1) is directed onto the channels, and transmitted light is imaged by a pixel array 30 of ultraviolet light detectors at the other side of the channels, in effect imaging the shadows of DNA

components or bands as they pass along the channels. At a wavelength of 253.9 nm, a mercury lamp can conveniently be used as the light source.

Each channel is less than 250 μm deep (preferably about 150 μm deep), less

10

15

20

25

30

00/45500411

than 200 μ m wide (preferably 50 μ m wide) and 18 mm long. The DNA samples are driven by the electric field from one end of the channel towards the other, and then the polarity of the electric field is reversed so as to drive the samples in the other direction. This process is repeated many times - e.g. several hundred times and the results averaged.

Results can be obtained by detecting the times at which fragments pass a particular point in the channel, or alteratively by performing a Fourier or other transform on the combined output of the array of spaced pixel detectors to detect velocities along the channel directly (see PCT/GB98/00645). The output of the analyser is thus a velocity map or distribution, whereby lower weight fragments have a higher velocity along the channels than higher weight fragments. Alternatively, an image of the separated components can be generated using an array of pixel detectors, as in PCT/GB96/01121 and analysed directly.

A polymer or diamond lid can be positioned over the channels to avoid contamination.

Figure 2 is a schematic plan view of an array of channels embodied on a substrate about 20 mm x 20 mm in area. A high voltage (HT) source 40 is connected to a tree structure of electrodes 50 at each end of the channels so that an electric field is applied along each channel. Typically the potential difference between ends of the channels may be about 3 kV.

Supply wells 60 are provided to inject DNA samples into each of the channels. An enlarged view of some supply wells is provided in Figure 3, showing that they are formed as substantially circular areas of etched material connected to the channels. They can be filled with a robotic micropipette apparatus available from Evotec GmbH.

So, Figure 2 shows an array of a large number of parallel separation electrophoresis microchannels with associated dendritic branching to and from a buffer well with DNA input and output wells on each channel. DNA may be switched between wells and separation channels using electric fields from suitably positioned electrodes (not shown). In the separation channels it is separated under an electric field as it permeates the electrophoresis gel in the channel - which might be nominally agarose of poly (acrylimide) but other materials are also suitable, such as

10

15

2.0

25

30

alcogel or hydrogel, so that individual lines corresponding to lengths of DNA become

Flushing the equipment can be carried out rapidly between input plugs. It is distinct. also relatively easy to input a solution to multiple plugs.

Figures 4 and 5 schematically illustrate two embodiments of the invention in cross section, one for use at a UV wavelength of about 200 nm (Figure 4) and one for use at about 260 nm, possibly 253 nm using light from a mercury lamp (Figure 5).

In each case, channels 10 are etched into a diamond substrate 20. A UV source 100 operating at the relevant wavelength is positioned so as to direct UV light onto the analyser.

In Figure 4, the lower surface 110 of each channel is made at least partially non-transparent by a treatment such as hydrogenation. When UV light impinges on the surface 110, electron-hole pairs are generated. These can be detected as a photocurrent I by connecting a dc voltage between the surface 110 and a deposited metal layer on a top surface 120 of the substrate. The resulting photocurrent can then

The signal connections can be made to the surface 110 by depositing an be amplified by an amplifier 130. electrically conductive track up the inside of each channel.

The calculation or detection of the concentration of material components between the source and the detector is relatively straightforward, being the difference in detected light levels with and without the band in the way. This is carried out by data processing apparatus such as a general purpose computer (not shown) arranged to receive the output from the detectors.

The source and/or detector can be at a single position with respect to each channel, or can be formed as an array of pixel detectors to image multiple positions

The advantages of operation at 200 nm are that the absorption of the light by on each channel at once. the DNA fragments is about 10 times higher than that at 253 nm. However, this is weighed against the convenience of operation at 253 nm as a simple source (the mercury lamp) can be used.

Figure 5 shows a similar arrangement for operation at 253 nm (or, for

10

15

example, at any wavelength near to 260 nm). Here, a confocal focusing arrangement is used, whereby a microlens fashioned during the etching process onto a diamond lid 130 between each channel and the UV source 100 acts to focus the incident light through the contents of the channels and onto a metallised area 140 at the other face of the diamond substrate. Alternatively, of course, if the positions of the source and detector were swapped, the focusing formations could be formed on what is drawn as the underside of the substrate. Again, electron-hole pairs are created and a photocurrent can be detected by applying a potential difference between a metallised layer 120 and the metallised area 140.

The systems of Figures 4 and 5 can be operated at different wavelengths, and in particular the system of Figure 4 could be operated at about 200 nm and that of Figure 5 at about 260 nm.

Diamond as a substrate has a number of particular advantages:

- it is chemically inert, hydrophobic and easily cleaned, e.g. using nitric acid; (i)
- it has good thermal conductivity, about 5 times better than copper, so that in (ii) embodiments of the invention the entire analyser can be cooled by a Peltier cell at one
 - it is relatively transparent to UV light, and in particular is one of the most transparent materials known at 257 nm;
- 20 its surface can be made non-transparent when required, e.g. by hydrogenation; (v) it has a high breakdown voltage - at least 107 Vcm⁻¹;
 - it has a very high refractive index, so that surface or other features formed in (vi)
 - the diamond can provide at least partial light concentration. Figure 6 is a schematic graph showing the signal to noise (S/N) performance

obtainable with embodiments of the invention. A signal to noise ratio of 20:1 is 25 obtained for 2 ng / µL DNA.

15

30


CLAIMS

- An analyser comprising: ١.
 - a substrate of diamond, sapphire or a polymer material;
- an array of one or more elongate capillary channels formed in the substrate; means for driving a sample to be tested along one or more of the channels whereby the velocities of components of the sample along the channels depends on 5 the relative molecular weights of those components;
 - a radiation source and a radiation detector disposed on either side of the channel array so as to detect the presence of material in the channels as interruptions in the radiation path between the radiation source and the radiation detector.
 - An analyser according to claim 1, in which the substrate is formed of diamond.
 - An analyser according to claim 1, in which the substrate is formed of sapphire having a coating of nanocrystalline diamond.
 - An analyser according to any one of claims 1 to 3, in which the channels are 4. less than 250 µm deep. 20
 - An analyser according to claim 4, in which the channels are less than 150 um 5. deep.
 - An analyser according to any one of the preceding claims, in which the 25 channels are less than 200 µm wide.
 - An analyser according to any one of the preceding claims, in which the channels are less than 100 µm wide.
 - An analyser according to any one of the preceding claims, in which the radiation source comprises an ultraviolet light source.

20

30

- An analyser according to claim 8, in which the ultraviolet light source is operable to generate ultraviolet light at a wavelength of about 260 nm or about 200 nm.
- 5 10. An analyser according to claim 8 or claim 9, in which focusing formations are formed on the substrate to at least partially focus the ultraviolet light onto the interior of each channel.
- 11. An analyser according to claim 10, in which the focusing formations, the channels and the radiation detector are arranged so that the interior of each channel is substantially mid-way between the focusing formations and the radiation detector.
 - 12. An analyser according to any one of the preceding claims, in which the substrate of diamond, sapphire or a polymer is formed on a further substrate of a semiconductor material, the radiation detector being fabricated on the further substrate of semiconductor material.
 - 13. An analyser according to claim 12, in which the semiconductor material is silicon.
 - 14. An analyser according to claim 11 or claim 12, in which the radiation detector comprises an array of pixel detectors formed on the further substrate.
- 15. An analyser according to any one of claims 1 to 11, in which the radiation detector comprises an array of obscured regions on the substrate under the channels, and means for detecting an electric current formed by electron-hole pair generation at the obscured regions.
 - An analyser according to claim 15, in which the regions are formed at a lower surface of each channel.
 - 17. An analyser according to claim 15, in which the regions are formed at a lower surface of the substrate substantially beneath each channel.








FIG.3






FIG.6

SUBSTITUTE SHEET (RULE 26)





SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER IPC 6 G01N27/447 onel Application No PCT/GB 99/00742 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system (ollowed by classification symbols) Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search ferms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages X EP 0 708 331 A (HEWLETT PACKARD CO) 24 April 1996 Relevant to claim No see page 4, line 21 - page 5, line 14 see page 6, line I - page 10, line 26 1.2 X.P WO 98 10122 A (UNIV NORTHEASTERN) see the whole document -/--X Further documents are listed in the continuation of box C. Special categories of cited documents X Patent family members are listed in annex "A" document defining the general state of the art which is not considered to be of particular relevance. T later document published after the international titing date or priority date and not in confect with the application but crited to understand the principle or theory underlying the mission. E earlier document but published on or after the international "Imity date
"Imity date which may throw doubts on pnorthy claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken atone. 'O" document referring to an oral disclosure, use, exhibition or "Y" do cument of particular relevance; the claimed invention 'P' document published prior to the international filling date but later than the priority date claimed obcument of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled in the art. Date of the actual completion of the international search "&" document member of the same patent family Date of mailing of the international search report 28 May 1999 Name and mailing address of the ISA 30/06/1999 European Patent Office, P.B. 5818 Patentiaan 2 European Materi Office, M.B. 5818 Materia, 12280 HV Rijswijk.
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016 Authorized officer

Form PCT/ISA/210 (second sheet) (July 1992)

Müller, T



Inte Ional Application No PCT/GB 99/00742

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT Category Cat	
A MACDONALD J H ET AL: "A CCD system for UV 14 A MACDONALD J H ET AL: "A CCD system for UV 14 IMACDONALD J H ET AL: "A CCD system for UV 14 INDICEAR INSTRUMENTS & METHODS IN PHYSICS NUCLEAR INSTRUMENTS & METHODS IN PHYSICS NESSARCH, SECTION - A: ACCELERATORS. SPECTROMETERS, DETECTORS AND ASSOCIATED SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, 1-3, 21 June 1997, page	
A MACDONALD J H ET AL: "A CCD system for UV 14 imaging of biomolecules" NUCLEAR INSTRUMENTS & METHODS IN PHYSICS NUCLEAR INSTRUMENTS & ACCELERATORS, RESEARCH, SECTION - A: ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, EQUIPMENT, 1-3, 21 June 1997, page	
vol. 392, III. 227-232 KP004090959 see page 227, left-hand column - page 229, see page 227, left-hand column; figure 2	

INTERNAT NAL SEARCH REPORT

Information on patent family members ional Application No Patent document PCT/GB 99/00742 cited in search report Publication Patent family date EP 0708331 member(s) Publication 24-04-1996 date US 5500071 A 19-03-1996 US 5571410 A 05-11-1996 ĒΡ 0708330 A 24-04-1996 ĒΡ 0734281 A 02-10-1996 ĒΡ 0734282 A 02-10-1996 JΡ 9508706 T 02-09-1997 WO 9612545 A 02-05-1996 WO 9612546 A US 02-05-1996 5658413 A 19-08-1996 US 5641400 A 24-06-1997 US 5882571 A 16-03-1999 US 5804022 A 08-09-1998 JΡ 8334505 A WO 9810122 17-12-1996 12-03-1998 NONE

DAIGNOODS AND DRAFFORME I